



QMFZ2.E255557 Plastics - Component

Additional information regarding this certification can be found in UL's iQ Family of Databases (iq.ul.com).

NEW -- for additional information concerning the individual material, click on the material designation.

Page Bottom

Plastics - Component

[See General Information for Plastics - Component](#)

HENKEL HUAWEI ELECTRONICS CO LTD

E255557

SONGTIAO INDUSTRIAL PARK

XINPU

LIAN YUN GANG, JIANGSU 222004 CHINA

Material Dsg	Color	Min.	Flame	H		R T I			H	D	C
				W	A	Elec	Mech		V	4	
		Thk	Class	I	I		Imp	Str	T	9	T
		mm							R	5	I
Epoxy Molding Compound (EP - Molding), furnished as pellets.											
GR2310	GD	6.4-7.0	V-0	0	0	130	130	130	-	-	1
GR2320	BK	6.4-7.0	V-0	0	0	130	130	130	-	-	1
GR2330	OR	6.4-7.0	V-0	0	0	130	130	130	-	-	1
GR2340	GY	6.4-7.0	V-0	0	0	130	130	130	-	-	1
GR2710	GD	6.4-7.0	V-0	0	0	130	130	130	-	-	1
GR2720	BK	6.3-6.95	V-0	-	-	130	130	130	-	-	-
GR2811	GD	6.4-7.0	V-0	0	0	130	130	130	-	-	1
GR360A	BK	6.0	V-0	-	-	130	130	130	-	-	-
GR640HV-L1	BK	3.2	V-0	-	-	130	130	130	-	-	1
GR646	BK	6.4-7.0	V-0	0	1	130	130	130	-	-	1
GR680H	BK	6.4-7.0	V-0	0	0	130	130	130	-	-	1
GR825-73B	BK	3.2-3.52	V-0	-	-	130	130	130	-	-	-
GR828	BK	3.0	V-0	-	-	130	130	130	-	-	-
GR828FC	BK	3.2-3.52	V-0	-	-	130	130	130	-	-	-
GR828HS	BK	3.2-3.52	V-0	-	-	130	130	130	-	-	-
GR9810-1PF	BK	6.4-7.0	V-0	0	0	130	130	130	-	-	0
KL	BK	3.2-3.52	V-0	0	0	130	130	130	-	-	-
KL-1000-3	BK	0.40-0.44	V-0	-	-	130	130	130	-	-	-
KL-1000-3AF	BK	1.0	V-0	-	-	130	130	130	-	-	-
		3.0	V-0	-	-	130	130	130			
KL-1000-3AP	BK	1.0-1.1	V-0	-	-	130	130	130	-	-	-
KL-1000-3LX	BK	3.0-3.3	V-0	-	-	130	130	130	-	-	-
KL-1000-FX	BK	1.0-1.1	V-0	-	-	130	130	130	-	-	-
KL-2500-1	BK	3.2	V-0	0	0	130	130	130	-	-	2
KL-3000-FF	BK	3.2	V-0	-	-	130	130	130	-	-	2
KL-4000-1, KL-4000-1T, KL-4000-1TH, KL-4000-1TF, KL-4000-1T(NT)											
	BK	3.2-3.52	V-0	0	0	130	130	130	-	-	1

KL-4500-1, KL-4500-1NT										
	BK	3.4-3.74	V-0	0	0	130	130	130	-	2
KL-5000-HT										
	BK	3.4-3.74	V-0	0	0	130	130	130	-	2
KL-6500, KL-6500S, KL-6500H										
	BK	3.2-3.5	V-0	0	0	130	130	130	-	1
KL-G100	BK	6.4-7.0	V-0	0	0	130	130	130	-	1
KL-G100S	BK	6.4-7.0	V-0	0	0	130	130	130	-	1
KL-G400, KL-G400H	BK	6.4-7.0	V-0	0	0	130	130	130	-	1
KL-G450H	BK	3.2-3.5	V-0	0	0	130	130	130	-	1
KL-G800, KL-G800H	BK	3.2-3.5	V-0	0	0	130	130	130	-	1
MG15F, MG15F-0140	BK	3.0	V-0	-	-	130	130	130	-	-
MG15F-0140R	BK	3.2-3.52	V-0	-	-	130	130	130	-	-
MG15F-35A	BK	3.0	V-0	-	-	130	130	130	-	-
MG15F-MOD	BK	3.0	V-0	-	-	130	130	130	-	-
MG15F-MOD 2	BK	6.0	V-0	-	-	130	130	130	-	-
MG21F-02	BK	3.2-3.52	V-0	-	-	130	130	130	-	-
MG27F-0521, MG27F-0521C										
	GD	3.0	V-0	-	-	130	130	130	-	-
MG33F-0520, MF33F-0549										
	GD	6.0	V-0	-	-	130	130	130	-	-
MG33F-0545	GD	4.7	V-0	-	-	130	130	130	-	-
MG33F-0593 Black	BK	3.0	V-0	-	-	130	130	130	-	-
MG33F-0602	BK, RD	3.0	V-0	-	-	130	130	130	-	-
MG33F-0610	GD	3.0	V-0	-	-	130	130	130	-	-
MG35F	BK	4.8-5.28	V-0	-	-	130	130	130	-	-
MG36F-0540	GD	3.0	V-0	-	-	130	130	130	-	-
MG36F-25A	BK	3.0	V-0	-	-	130	130	130	-	-
MG38FS, MG40FS	BK	3.0	V-0	-	-	130	130	130	-	-
MG38FS-AM, MG40FS-AM										
	BK	3.0	V-0	-	-	130	130	130	-	-
MG40F	BK	3.0	V-0	-	-	130	130	130	-	-
MG45F-0459S	BK	3.0	V-0	-	-	130	130	130	-	-
MG46F	BK	3.0	V-0	-	-	130	130	130	-	-
MG46F-AM	BK	3.0	V-0	-	-	130	130	130	-	-
MG52F, MG52F-AM	BK	3.0	V-0	-	-	130	130	130	-	-
MG52F-99B	BK	3.0	V-0	-	-	130	130	130	-	-
MG53F Gold	GD	3.0	V-0	-	-	130	130	130	-	-
		6.0	V-0	-	-	130	130	130		
MG53FBlack	BK	3.2-3.52	V-0	-	-	130	130	130	-	-
PF9AS	BK	1.6-1.76	V-0	-	-	130	130	130	-	-
Epoxy Molding Compound (EP - Molding), furnished as pellets, powder.										
GR640HV-S4	BK	3.2-3.5	V-0	0	0	130	130	130	-	1

Marking: Company name and material designation on container, wrapper or finished part.

Last Updated on 2010-08-04

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2010 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured

under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

